





Dodatko Alexander

November 2012






How many months does the
year consist of?



What is the first day of the
year?



What day does a new week
start on?

Right, but did you know that ...

Jewish calendar consists of 13 months. And month #6 is a leaping one.




In Japan the calendar may return to year #1 at the day of the emperor's death



In Russia week starts on Monday.

In the USA the first day is Sunday





Dates must look in the way the user expects







The Typical Solution



```
- (NSDate*)parseDate:( NSString* )date_
{
    NSDateFormatter* df_ = [ NSDateFormatter new ];
    df_.dateFormat = @"yyyy-MM-dd";

    return [ df_ dateFromString: date_ ];
}
```



WRONG !

```
- (NSDate*)parseDate:( NSString* )date_
{
    NSDateFormatter* df_ = [ NSDateFormatter new ];
    df_.dateFormat = @"yyyy-MM-dd";
    return [ df_ dateFromString: date_ ];
}
```






Use **en_US_POSIX** locale for
dates from the network

Use **Gregorian** calendar too

NSDateFormatter





Do not forget to set
the **same Locale**
for both **NSCalendar** and
NSDateFormatter

Or let my library do it for you




dodikk / ESLocale

Ok. How about SQLite?



Instance

All traffic types - Visits




Updated 1 second ago

at 09/20/2012 08:13:06 AM GMT (UTC)

Week

Time range W48 2009 - W4 2010 (Sunday, November 22, 09 - Saturday, January 23, 10)





```
SELECT SUM( Visits )  
FROM VisitsLog  
WHERE Date BETWEEN  
x AND y  
GROUP BY week
```



What should I take as week ?



```
SELECT SUM( Visits )  
FROM VisitsLog  
WHERE Date BETWEEN x AND y  
GROUP BY
```

Strftime('%Y-%W' , Date)



~~**SELECT** SUM(Visits)
FROM VisitsLog
WHERE Date **BETWEEN** x **AND** y
GROUP BY~~

~~Strftime('%Y-%W' , Date)~~





```
SELECT SUM( Visits )  
FROM VisitsLog  
WHERE Date BETWEEN x AND y  
GROUP BY
```

```
objcFormatDate( 'YYYY-ww' ,  
Date , 'en_US_POSIX' )
```

Бендер Родригез *Луна-Парк с нуля*

Бендер Родригез

Луна-Парк с нуля

Подробное
илюстрированное
руководство

с блек-джеком
и шлюхами



```
int sqlite3_create_function(  
    dbHandle,  
    "ObjcFormatDate",  
    3, //int nArg,  
    SQLITE_UTF8,  
    NULL, // sqlite user data  
    functionPointer,  
    NULL, NULL // for aggregates  
);
```

Plan of attack

Convert C strings to NSString

Convert date string to NSDate


Format NSDate using locale

SQLite uses ANSI format

yyyy-MM-dd

Demo

One More Thing



1000 times slower than `strftime`



10K records

Creating `NSDateFormatter` on-the-fly



Same speed as `strftime`

Singletone NSDateFormatter



Same 10K records

Thread Safety



dodikk / ESLocale



Contacts



Oleksandr Dodatko

mail/jabber : dodikk88.tutor@gmail.com

Skype : [alexander.dodatko.work](skype:alexander.dodatko.work)

Twitter : [@dodikk88](https://twitter.com/@dodikk88)

Github :

<https://github.com/dodikk>

<https://github.com/EmbeddedSources>

